

(भारत सरकार का उद्यग) (A Govt. of India Enterprise) कडगीं/Kudgi

Ref:NTPC/Kudgi/EMG/KSPCB

Date: 25.09.2018

То

Regional Officer, Karnataka State Pollution Control Board Plot No.86, Harakari layout, Vajra Hanuman Nagar, Bagalkot Road, Bijapur 586101

Dear Sir

Sub: Submission of Environmental Statement for the financial year 2017-18 - Reg

We are herewith submitting the Environmental statement for the financial year 2017-18 for NTPC Kudgi prepared in Form-V

Thanking you

Yours faithfully

(K.Karthikeyan) Dy. General Manager (EMG)

# FORM --V ENVIRONMENTAL STATEMENT FOR THE FINANCIAL YEAR ENDING 31st MARCH 2018

# PART-A

i	Name and address of the	Shri. R K Sinha	
	Owner/Occupier of the industry	Chief General Manager	
		NTPC Kudgi	
	operation or process	Kudgi - P.O	
		Basavan Bagawadi- Taluk	
		Vijayapura - District	
		Karnataka -586121	
ii	Industry Category- Primary –(STC Code) Secondary –(STC Code)	Thermal Power Plant	
iii	Production Category - Units	3 X800 MW Units (2400MW Capacity)	
iv	Year of Establishment	UNIT- I 800 MW - 31.07.2017	
		UNIT- II 800 MW - 31.12.2017	
		UNIT- III 800 MW - 15.09.2018	
V	Date of last Environmental	Environment Statement is submitted	
	Statement submitted	for the first year	

## PART - B

# WATER AND RAW MATERIAL CONSUMPTION

(i). Water Consumption (m<sup>3</sup>/day)

(i), traici consomphon (in / aa/)	
Process	14752 m³/day
Cooling	25395 m³/day
Domestic	1600 m³/day

Name of Products	Process water consumption per unit of products		
	During the Previous financial year ( 2016-17)	During the Current financial year ( 2017-18)	
Electricity generation 3494.46 MU	Unit was not commissioned	1.03 lit/kwhr	

ii. Raw Material Consumption

Name of raw	Name of	Consumption of raw material per unit of output		
materials	Products	During the Previous financial year ( 2016-17)	During the Current financial year ( 2017-18)	
a. Coal	Electricity generation	Unit was not	0.574 kg/kwh	
b. Fuel Oil		commissioned	1.047ml/kwh	

Note: Plant was not fully operational

#### PART - C

# Pollution Discharge to Environment/Unit of Output

(Parameter as specified in the consent issued)

Pollutants	Quantity of Pollutant discharged (mass/day)	Concentration of Pollutant (mass/volume)	Percentage of variation from prescribed standard with reasons	
a) Water	No discharge of water	•	Nil	
b) Air				
SPM	826 kg/day	27.4 mg/Nm <sup>3</sup>	Nil	
SO <sub>2</sub>	33838 kg/day	1122 mg/Nm <sup>3</sup>	Nil*	
NOx	14084 kg/day	467 mg/Nm <sup>3</sup>	Nil*	

<sup>\*</sup>Applicable New Emission Norms extended upto the year 2022 by CPCB.

## PART - D

#### **HAZARDOUS WASTES**

(as specified under Hazardous waste/Management and handling Rules 2016)

	Total Quantity		
Hazardous Wastes	During the Previous financial year ( 2016-17)	During the Current financial year ( 2017-18)	
From Process     From Pollution Control facilities	Unit was not commissioned	No hazardous waste is generated in the process of electricity generation. However, hazardous waste generated (Used spent oil - 1650 Lit) during maintenance activities will be given to authorized recyclers.	

## PART - E

## SOLID WASTES

	Total Quantity		
Solid Wastes	During the Previous financial year ( 2016-17)	During the Current financial year ( 2017-18)	
a. From Process		142893 MT Bottom ash 6221 MT Mill rejects	
<ul> <li>b. From Pollution control facility</li> </ul>	Unit was not commissioned	571571MT Fly ash	
c. Quantity recycled or reutilized within the unit		50% fly ash utilized by Cement, RMC and Brick manufacturing Units Mill rejects used in coal carpet in Coal pile yard	

## PART - F

Please specify the characterizations (in terms of composition of quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes

S. No.	Component	Composition (%)	Quantum (MT)	Disposal Practice		
1	ASH					
]	Sodium oxide	1.05	7502	Dry ash issue to		
2	Magnesium oxide	0.96	6859	Cement, Ready Mix		
3	Alumina	26.44	188904	Concrete, Brick and		
4	Silica	58.5	417961	other industries;		
5	Phosphorous Pentoxide	0.52	3715			
6:00	Sulphur trioxide	0.76	5430			
7	Potassium oxide	1.27	9074			
8	Calcium oxide	4.1	29293			
9	Titanium dioxide	1.2	8574			
10	Manganese oxide	0.06	429			
11	Iron oxide	5.14	36723			

#### PART-G

Impact of Pollution Control Measures on Conservation of Natural Resources and On the Cost of Production

Providing of dry fly ash to Cement, Ready Mix Concrete (RMC) and Fly Ash Brick Manufacturing industries helped in conservation of natural top soil/minerals and Water is being conserved through various water conservation practices

#### PART - H

Additional Measures/Investment Proposal for Environment Protection Including Abatement of Pollution

The expenditure of Rs. 79035.64 Lakhs has been made for environmental protection. The expenditure includes ESP, ETP & Greenbelt development etc.

#### PART - I

#### Miscellaneous

Any other particulars in respect of environmental protection and abatement of pollution

- Super Critical Technology with high efficiency and less fuel consumption
- All the units are provided with high efficiency Electro-static Precipitators (ESP) of more than 99.97% efficiency.
- Effluent Treatment Plant is provided to treat the waste water and reuse the water
- Dry Fly Ash is being issued to Cement, RMC and brick manufacturing industries.
- Green Belt development with more than 1,50,000 no of plantation done
- Water sprinkling, Dry Fog Dust Suppression systems in coal handling, Water cover in ash pond is being maintained avoid any fugitive dust emission
- Various Environment Awareness Program has been conducted for school children and employees during important environment days.

Date: 25/09/2018

Signature

आर. पी. जे. स्टीफेन Name
R. P. J. STEPHEN

महाप्रबंधक (प्रव अ) General Manager (0 & M)

एनटीपीसी लिमिटेड, कुडगी एस.टी.पी.पी.

DesignTPC Limited, Kudgi S.T.P.P.

विजयपुर, कर्नाटक / Vijayapura. Kamataka-586121

**Address**